| | y |
|--|---|
| | |
| | |
| ; | |
| urse. THIS It the initiative | |
| | |
| | |
| | |
| n from the | |
| | |
| rements | i |
| ICE OF | |
| | |
| | |
| ack) of | |

| | Application No. | Applicant(s) |
|--|--|--|
| | | |
| Notice of Allowability | 10/621,658 Examiner | CALLAHAN ET AL. Art Unit |
| • | Nasser Ahmad | 1772 |
| The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 | ears on the cover sheet with the co (OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to | orrespondence address olication. If not included will be mailed in due course. THIS |
| 1. This communication is responsive to 01/18/2006. | | |
| 2. ☑ The allowed claim(s) is/are <u>1-16,29 and 34</u> . | | |
| 3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 3. Copies of the priority documents have 4. Copies of the priority documents have 5. Copies of the priority documents have 5. Copies of the priority documents have 6. Copies of the priority doc | been received. been received in Application No cuments have been received in this communication to file a reply file of this application. itted. Note the attached EXAMINER best reason(s) why the oath or declarate best be submitted. son's Patent Drawing Review (PTO- s Amendment / Comment or in the Comment or in the Comment of the drawing he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL resuments in the Comment of the Comment of the drawing he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL resuments have been received in Application No comments have been received in Application No comments have been received in this re | national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF tion is deficient. 948) attached Office action of the back) of d). must be submitted. Note the |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 5. ☐ Notice of Informal F 6. ⊠ Interview Summary Paper No./Mail Da 08), 7. ⊠ Examiner's Amendi | Patent Application (PTO-152) (PTO-413), te <u>1-10-()</u> ment/Comment ent of Reasons for Allowance |
| | | |

Continuation of Attachment(s) 9. Other: Drawings filed 7/17/03 are accepted by the examiner.

Application/Control Number: 10/621,658

Art Unit: 1772

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Colene H. Blank on January 30, 2005.

The application has been amended as follows:

Claims 17-28 and 30-33 have been canceled as being directed to non-elected invention group.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

A review of applicants' arguments in amendment filed on January 18, 2006 and a review of the instant amended claims has convinced the examiner that the claims are allowable over the applied prior art of record. The prior art uncovered so far fails to teach or suggest an adhesive article comprising a release liner having a surface with an arrangement of pyramidal structures thereon that extend downward from a plane of the surface, said structures having at least three sidewalls, wherein the first and second sidewalls make an angle of alpha and beta, respectively, between 0 and 90 degrees with respect to the plane of the surface, and that the first sidewall angle alpha differs from the second sidewall angle beta by more than 10 degrees. The skewed pyramidal

Application/Control Number: 10/621,658

Art Unit: 1772

speed.

Also, no evidentiary support could be provided to support the position that providing the

depression structure provides for less air bubble entrapment and hence, higher coating

structure with first and second sidewalls that make an angle of more than 10 degrees

with respect to each other would have been obvious to one having ordinary skill in the

art.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nasser Ahmad whose telephone number is 571-272-

1487. The examiner can normally be reached on 7:30 AM to 5:00 PM, and on alternate

Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/621,658

Art Unit: 1772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nasser Ahmad

Primary Examiner Art Unit 1772

N. Ahmad. January 30, 2006.